



Website Integration Guide

– For Developers

1. Add the Push Script as shown in below . inside the user panel of RoverBeta.com

The screenshot displays the RoverBeta.com user interface. On the left is a sidebar with navigation options: ANALYTICS (Sent notification, Subscribers, Subscriber information, Geo location, Browser/Device) and SETTINGS (Integrate, Opt-in Box, Widget, File manager, Tools). The 'Integrate' option is highlighted. The main content area is titled 'Integration' and provides instructions for implementing Web Push Notifications. It includes a 'Download file: sw.js' button and a code block for the JavaScript script. The browser's address bar shows 'https://roverbeta.com/push_integrate'.

Integration
Implement our integration code on your website to start gaining new subscribers

Integrating Web Push Notification into your website is straightforward if you have HTTPS enabled. Simply follow these two steps:

➤ **Step 1:** Upload the file (yourdomain.com/sw.js) into the root directory of your website, typically the public_html or html folder on your web server. (Required)

[Download file: sw.js](#)

➤ **Step 2:** Insert the provided code below into your website, ideally just before the closing head tag.

```
1 <script type="text/javascript">
2 (function(d, t) {
3   var g = d.createElement(t),
4       s = d.getElementsByTagName(t)[0];
5   g.src = "https://roverbeta.com/cdn/integrate.js";
6   var u = document.createAttribute("webpush-client-id");
7   var d = document.createAttribute("webpush-domain-id");
8   u.value = "6/e05ee8e2ec6"; d.value = "6/f7ce9bcfe73";
9   g.attributes.setNamedItem(u); g.attributes.setNamedItem(d);
10  s.parentNode.insertBefore(g, s);
11  }(document, "script"));
12 </script>
```

- Step 1. Upload the SW.JS file to Root directory as mentioned above
- Step 2 . Copy paste the provide script in Header tag just above </head >

2. iOS Devices- Guide Script

Add the below script Just Below the PUSH script

```
(function(d, t) {  
  var g = d.createElement(t),  
      s = d.getElementsByTagName(t)[0];  
  g.src = "https://yourdomain.com/cdn/popup-ios.js"; // You need to upload this file as mentioned step 3  
  s.parentNode.insertBefore(g, s);  
})(document, "script");
```

3. Pop Up js File Script

IN Public html . Create CDN (folder) > Create file named as “popup-ios.js “ in that place the below script

```
(function () {  
  function isIOS() {  
    return /iPad|iPhone|iPod/.test(navigator.userAgent) && !window.MSStream;  
  }  
})
```

```
if (!isIOS()) return;

window.addEventListener('load', function () {

  var overlay = document.createElement('div');

  overlay.id = 'iosOverlay';

  overlay.style.cssText = `

    position: fixed;

    top: 0; left: 0;

    width: 100vw; height: 100vh;

    background: rgba(0, 0, 0, 0.75);

    z-index: 9998;

  `;

  var popup = document.createElement('div');

  popup.id = 'iosPopup';

  popup.style.cssText = `

    position: fixed;

    top: 50%; left: 50%;

    transform: translate(-50%, -50%);

    z-index: 9999;
```

```
max-width: 90vw;
```

```
max-height: 90vh;
```

```
text-align: center;
```

```
`;
```

```
var video = document.createElement('video');
```

```
video.src = 'https://yourdomain.com/file/ios.mp4';
```

```
video.autoplay = true;
```

```
video.controls = false;
```

```
video.playsInline = true;
```

```
video.style.cssText = 'width: 100%; height: auto; border-radius: 10px;';
```

```
var closeBtn = document.createElement('button');
```

```
closeBtn.textContent = 'Close';
```

```
closeBtn.style.cssText = `
```

```
margin-top: 10px;
```

```
display: none;
```

```
padding: 10px 20px;
```

```
font-size: 16px;  
background: #fff;  
border: none;  
cursor: pointer;  
border-radius: 5px;  
`;  
`;
```

```
closeBtn.onclick = function () {  
    document.body.removeChild(popup);  
    document.body.removeChild(overlay);  
};
```

```
video.onended = function () {  
    closeBtn.style.display = 'inline-block';  
};
```

```
popup.appendChild(video);  
popup.appendChild(closeBtn);
```

```
document.body.appendChild(overlay);  
document.body.appendChild(popup);  
});  
})();  
-----
```

Note : wherever the word “yourdomain.com “ replace it with your domain name which is added in RoverBeta.com

The code structure can be changed by developer with out affecting the goal of that Pop up .

The Goal is just to inform IOS Device Users only to guide them, that they have to add the website in Home screen

This pop up will appear only for iOS users. Not for others.

4. Pop Up Video File

You can attach the Pop up video / Image as per your own .and you have to place in your root directory (assets /any name folder) and update the below path in the Popups file script

```
'https://yourdomain.com/file/ios.mp4';
```

You can add the attach common ios.mp4 or ios.png files too which we provided along with integration file .